Haxan Labs
by Haxan Enterprises
Innovative Solutions for a Smarter Tomorrow
Office No. 02, Basement
Raja Haq Nawaz Plaza, G-11
Markaz Islamabad
0348-1123923
0301-2227462
haxanschooly@gmail.com
haxanenterprises.com

Patient No: 1

Case No: PM-1126-000001

Patient Name	Age/Sex	Specimen Collection Type	Registered at
Mr Haxan Labs	20(Y) / Male	Taken in lab	SELF
Phone	**S/O D/O W/O**	**Referred By**	**Collection Time**
0301-2227462	—	—	26-Nov-2026 12:51 PM
MR No	**CNIC**	**Consultant**	**Reporting Time**
PRN-60001	38103-0000000-0	—	26-Nov-2026 01:11 PM

BLOOD GLUCOSE DEPARTMENT
GTT (Glucose Tolerance Test)

RESULT
PRN-60001
26-Nov-2026 01:11 PM

Sample	Normal Value	Unit	
Fasting	70 - 110	mg/dL	71
0.5 Hour After Glucose	70 - 140	mg/dL	↑ 141
1.0 Hour After Glucose	70 - 140	mg/dL	71
1.5 Hour After Glucose	70 - 140	mg/dL	70
2.0 Hour After Glucose	70 - 140	mg/dL	71
2.5 Hour After Glucose	70 - 140	mg/dL	71
Fasting Urine Sugar	Negative		Negative / Non-Reactive
Urine Sugar 1 Hour After 75g Glucose	Negative		Negative / Non-Reactive
Urine Sugar 2 Hours After 75g Glucose	Negative		Negative / Non-Reactive

Note: 100gms glucose given orally.



Haxan Labs
by Haxan Enterprises
Innovative Solutions for a Smarter Tomorrow
Office No. 02, Basement
Raja Haq Nawaz Plaza, G-11
Markaz Islamabad
0348-1123923
0301-2227462
haxanschooly@gmail.com
haxanenterprises.com

Patient No: 1

Case No: PM-1126-000001

Patient Name	Age/Sex	Specimen Collection Type	Registered at
Mr Haxan Labs	20(Y) / Male	Taken in lab	SELF
Phone	**S/O D/O W/O**	**Referred By**	**Collection Time**
0301-2227462	—	—	26-Nov-2026 12:51 PM
MR No	**CNIC**	**Consultant**	**Reporting Time**
PRN-60001	38103-0000000-0	—	26-Nov-2026 01:11 PM

HEPATITIS VIROLOGICAL DEPARTMENT

REAL TIME HCV RNA PCR (QUALITATIVE)

RESULT
PRN-60001
26-Nov-2026 01:11 PM

Test Name	Normal Value	Unit	
REAL TIME HCV RNA PCR (QUALITATIVE)	-	IU/mL	**HCV RNA DETECTED**

METHODOLOGY: *Real - Time PCR (CFX BIORAD USA)*

RNA - EXTRACTION: HCV RNA is extracted by using QIAamp DSP Virus Spin Kit (IVD and CE mark kit). This procedure is carried out using QIAamp MiniElute columns for high RNA yield from sample.

RNA - AMPLIFICATION: Extracted HCV RNA is amplified using a Real Time amplification system and detected by using fluorescent Reporter dye probes specific for HCV or HCV Internal Control (IC). Internal Control serves as an extraction and amplification control for the entire procedure.

INTERPRETATION & SENSITIVITY: HCV RG RT-PCR kit is linear from 21 IU/ml to 1.5x10^8 IU/ml (Viral Load). Viral Load < 21 IU/ml = Not Detected. Viral Load > 21 IU/ml = Detected.

COMMENTS:

The titer of HCV in blood fluctuates in accordance with the virus latency and sometimes it may be absent or below the sensitivity limit of the assay.
It is highly recommended that the patient follow the consultant advice.

The results of HCV RNA PCR tests performed in different laboratories shall not be compared, as different laboratories use different kits and methodologies that have different sensitivity and specificity.

MICROBIOLOGY DEPARTMENT

Stool Culture & Sensitivity

RESULT
PRN-60001
26-Nov-2026 01:11 PM

Test Name	Normal Value	Unit

Haxan Labs
Lab Management System
TESTS REPORTS PATIENTS MANAGE
NOT VALID FOR LEGAL PURPOSE

Haxan Labs
by Haxan Enterprises
Innovative Solutions for a Smarter Tomorrow
Office No. 02, Basement
Raja Haq Nawaz Plaza, G-11
Markaz Islamabad
0348-1123923
0301-2227462
haxanschooly@gmail.com
haxanenterprises.com

Patient No: 1

Case No: PM-1126-000001

Patient Name	Age/Sex	Specimen Collection Type	Registered at
Mr Haxan Labs	20(Y) / Male	Taken in lab	SELF
Phone	**S/O D/O W/O**	**Referred By**	**Collection Time**
0301-2227462	—	—	26-Nov-2026 12:51 PM
MR No	**CNIC**	**Consultant**	**Reporting Time**
PRN-60001	38103-0000000-0	—	26-Nov-2026 01:11 PM

SEROLOGY DEPARTMENT

Widal Profile

RESULT
PRN-60001
26-Nov-2026 01:11 PM

Test Name	Normal Value	Unit

WIDAL TITRE

	1:20	1:40	1:80	1:160	1:320
S. typhi (TO)	+	-	13	10	11
S.P. typhi (AO)	+	-	-	-	+
S.P. typhi (AH)	+	+	+	-	-
S.P. typhi (BO)	+	-	-	+	-
S.P. typhi (BH)	+	-	-	-	+

INTERPRETATION

In typhoid endemic areas, active typhoid is suggested if the titers of H or O or both agglutinins are significantly raised.(i.e. titers greater than 1 in 160).

A rising titer, however must be looked for because titers greater than 1 in 200 can occasionally occur in non typhoid conditions such as vaccination with TAB, infection with other salmonella species, chronic liver disease and immunological disorders such as Rheumatoid arthritis, Rheumatic fever, multiple myeloma, Nephrotic syndrome and Ulcerative colitis.

Haxan Labs — Lab Management System
Smart Labs, Better Results
NOT VALID FOR LEGAL PURPOSE

Haxan Labs
by Haxan Enterprises
Innovative Solutions for a Smarter Tomorrow
Office No. 02, Basement
Raja Haq Nawaz Plaza, G-11
Markaz Islamabad
0348-1123923
0301-2227462
haxanschooly@gmail.com
haxanenterprises.com

Patient No: 1

Case No: PM-1126-000001

Patient Name	Age/Sex	Specimen Collection Type	Registered at
Mr Haxan Labs	20(Y) / Male	Taken in lab	SELF
Phone	**S/O D/O W/O**	**Referred By**	**Collection Time**
0301-2227462	—	—	26-Nov-2026 12:51 PM
MR No	**CNIC**	**Consultant**	**Reporting Time**
PRN-60001	38103-0000000-0	—	26-Nov-2026 01:11 PM

CBC (Complete Blood Count)

RESULT
PRN-60001
26-Nov-2026 01:11 PM

Test Name	Normal Value	Unit	
HB	12 - 16	g/dl	13
Total RBC	4.5 - 5.9	x10^12/l	5
HCT	40 - 52	%	41
MCV	80 - 96	fl	81
MCH	27 - 33	pg	28
MCHC	32 - 36	g/dl	33
Platelets	150 - 450	x10^3/µL	151
Differential Leukocytes Count			
WBC	4 - 11	10^3/ul	↑ 13
Neutrophils	40 - 75	%	↓ 39
Lymphocytes	20 - 45	%	21
Eosinophils	1 - 6	%	5
Monocytes	2 - 8	%	3
Basophils	0 - 1	%	1
Morphology			
RBC Morphology	Normocytic normochromic		Normocytic normochromic
WBC Morphology	Normal		Reactive lymphocytosis
Platelet Morphology	Normal		Large platelets

Note: CBC results should always be interpreted in the context of clinical history and physical findings.

Haxan Labs
Lab Management System
TESTS REPORTS PATIENTS MANAGE
Smart Labs, Better Results
NOT VALID FOR LEGAL PURPOSE

Haxan Labs
by Haxan Enterprises
Innovative Solutions for a Smarter Tomorrow
Office No. 02, Basement
Raja Haq Nawaz Plaza, G-11
Markaz Islamabad
0348-1123923
0301-2227462
haxanschooly@gmail.com
haxanenterprises.com

Patient No: 1

Case No: PM-1126-000001

Patient Name	Age/Sex	Specimen Collection Type	Registered at
Mr Haxan Labs	20(Y) / Male	Taken in lab	SELF
Phone	**S/O D/O W/O**	**Referred By**	**Collection Time**
0301-2227462	—	—	26-Nov-2026 12:51 PM
MR No	**CNIC**	**Consultant**	**Reporting Time**
PRN-60001	38103-0000000-0	—	26-Nov-2026 01:11 PM

PATHOLOGY DEPARTMENT

Liver Function Test (LFT)

RESULT

PRN-60001
26-Nov-2026 01:11 PM

Test Name	Normal Value	Unit	
Total Bilirubin	0.2 - 1.2	mg/dL	1 Normal
SGPT (ALT)	7 - 56	U/L	50 Normal
SGOT (AST)	10 - 40	U/L	11 Normal







Haxan Labs
Lab Management System
TESTS REPORTS PATIENTS MANAGE
Smart Labs, Better Results
NOT VALID FOR LE PURPOSE

Haxan Labs
by Haxan Enterprises
Innovative Solutions for a Smarter Tomorrow
Office No. 02, Basement
Raja Haq Nawaz Plaza, G-11
Markaz Islamabad
0348-1123923
0301-2227462
haxanschooly@gmail.com
haxanenterprises.com

Patient No: 1

Case No: PM-1126-000001

Patient Name	Age/Sex	Specimen Collection Type	Registered at
Mr Haxan Labs	20(Y) / Male	Taken in lab	SELF
Phone	**S/O D/O W/O**	**Referred By**	**Collection Time**
0301-2227462	—	—	26-Nov-2026 12:51 PM
MR No	**CNIC**	**Consultant**	**Reporting Time**
PRN-60001	38103-0000000-0	—	26-Nov-2026 01:11 PM

PATHOLOGY DEPARTMENT

Liver Function Test (LFT)

RESULT

PRN-60001
26-Nov-2026 01:11 PM

Test Name	Normal Value	Unit	
Alkaline phosphatase (ALP)	44 - 147	U/L	45 Normal
Gamma G.T.	10 - 50	U/L	11 Normal
Total Protein	6 - 8.3	g/dL	7 Normal







Haxan Labs
Lab Management System
TESTS REPORTS PATIENTS MANAGE
Smart Labs, Better Results
NOT VALID FOR LE PURPOSE

Haxan Labs
by Haxan Enterprises
Innovative Solutions for a Smarter Tomorrow
Office No. 02, Basement
Raja Haq Nawaz Plaza, G-11
Markaz Islamabad
0348-1123923
0301-2227462
haxanschooly@gmail.com
haxanenterprises.com

Patient No: 1

Case No: PM-1126-000001

Patient Name	Age/Sex	Specimen Collection Type	Registered at
Mr Haxan Labs	20(Y) / Male	Taken in lab	SELF
Phone	**S/O D/O W/O**	**Referred By**	**Collection Time**
0301-2227462	—	—	26-Nov-2026 12:51 PM
MR No	**CNIC**	**Consultant**	**Reporting Time**
PRN-60001	38103-0000000-0	—	26-Nov-2026 01:11 PM

PATHOLOGY DEPARTMENT

Liver Function Test (LFT)

RESULT

PRN-60001
26-Nov-2026 01:11 PM

Test Name	Normal Value	Unit	
Albumin	3.5 - 5.2	g/dL	**5** **Normal**
Globulin	2 - 3.5	g/dL	**2.00** **Normal**
Albumin Globulin Ratio (A/G)	1 - 2.5		**2.50** **Normal**







Haxan Labs
Lab Management System
TESTS REPORTS PATIENTS MANAGE
Smart Labs, Better Results
NOT VALID FOR LE
PURPOSE

Methodology: Automated chemistry analyzer

Haxan Labs
by Haxan Enterprises
Innovative Solutions for a Smarter Tomorrow
Office No. 02, Basement
Raja Haq Nawaz Plaza, G-11
Markaz Islamabad
0348-1123923
0301-2227462
haxanschooly@gmail.com
haxanenterprises.com

Patient No: 1

Case No: PM-1126-000001

Patient Name	Age/Sex	Specimen Collection Type	Registered at
Mr Haxan Labs	20(Y) / Male	Taken in lab	SELF
Phone	**S/O D/O W/O**	**Referred By**	**Collection Time**
0301-2227462	—	—	26-Nov-2026 12:51 PM
MR No	**CNIC**	**Consultant**	**Reporting Time**
PRN-60001	38103-0000000-0	—	26-Nov-2026 01:11 PM

CLINICAL CHEMISTRY (BIOCHEMISTRY) DEPARTMENT
Lipid Profile

RESULT
PRN-60001
26-Nov-2026 01:11 PM

Test Name	Normal Value	Unit	
S. Cholesterol	0 - 200	mg/dL	100
S. Triglycerides	0 - 150	mg/dL	↑ 151
HDL Cholesterol	40 - 200	mg/dL	41
LDL Cholesterol (Calculated)	0 - 100	mg/dL	29
VLDL Cholesterol (Calculated)	0 - 30	mg/dL	30
LDL / HDL Ratio	0 - 3.5		0.71
Total Chol / HDL Ratio	0 - 5		2.44
Non-HDL Cholesterol	0 - 130	mg/dL	59

Note: Lab values should always be correlated with clinical picture. Normal Range(s) and Unit(s) shown are most recent results.

Haxan Labs
Lab Management System
REPORTS PATIENTS
Smart Labs, Better Results
NOT VALID FOR LEGAL PURPOSE

Haxan Labs
by Haxan Enterprises
Innovative Solutions for a Smarter Tomorrow
Office No. 02, Basement
Raja Haq Nawaz Plaza, G-11
Markaz Islamabad
0348-1123923
0301-2227462
haxanschooly@gmail.com
haxanenterprises.com

Patient No: 1

Case No: PM-1126-000001

Patient Name	Age/Sex	Specimen Collection Type	Registered at
Mr Haxan Labs	20(Y) / Male	Taken in lab	SELF
Phone	**S/O D/O W/O**	**Referred By**	**Collection Time**
0301-2227462	—	—	26-Nov-2026 12:51 PM
MR No	**CNIC**	**Consultant**	**Reporting Time**
PRN-60001	38103-0000000-0	—	26-Nov-2026 01:11 PM

CLINICAL CHEMISTRY (BIOCHEMISTRY) DEPARTMENT

Renal Function Test (RFTs)

RESULT

PRN-60001
26-Nov-2026 01:11 PM

Test Name	Normal Value	Unit	
Urea	15 - 45	mg/dL	15 Normal
Creatinine	0.74 - 1.35	mg/dL	1 Normal
BUN	7 - 20	mg/dL	7.0 Normal







Haxan Labs
Lab Management System
TESTS REPORTS PATIENTS MANAGE
Smart Labs, Better Results
NOT VALID FOR LE
PURPOSE

Haxan Labs
by Haxan Enterprises
Innovative Solutions for a Smarter Tomorrow
Office No. 02, Basement
Raja Haq Nawaz Plaza, G-11
Markaz Islamabad
0348-1123923
0301-2227462
haxanschooly@gmail.com
haxanenterprises.com

Patient No: 1

Case No: PM-1126-000001

Patient Name	Age/Sex	Specimen Collection Type	Registered at
Mr Haxan Labs	20(Y) / Male	Taken in lab	SELF
Phone	**S/O D/O W/O**	**Referred By**	**Collection Time**
0301-2227462	—	—	26-Nov-2026 12:51 PM
MR No	**CNIC**	**Consultant**	**Reporting Time**
PRN-60001	38103-0000000-0	—	26-Nov-2026 01:11 PM

CLINICAL CHEMISTRY (BIOCHEMISTRY) DEPARTMENT

Renal Function Test (RFTs)

RESULT

PRN-60001
26-Nov-2026 01:11 PM

Test Name	Normal Value	Unit	
eGFR	90 - 120	mL/min/1.73m2	**110.0**

Normal



Methodology: Automated chemistry analyzer

The e-GFR is calculated by using IDMS-isotope dilution mass spectrometry traceable serum creatinine.

Haxan Labs
Lab Management System
TESTS REPORTS PATIENTS MANAGE
Smart Labs, Better Results
NOT VALID FOR LEGAL PURPOSE

Haxan Labs
by Haxan Enterprises
Innovative Solutions for a Smarter Tomorrow
Office No. 02, Basement
Raja Haq Nawaz Plaza, G-11
Markaz Islamabad
0348-1123923
0301-2227462
haxanschooly@gmail.com
haxanenterprises.com

Patient No: 1

Case No: PM-1126-000001

Patient Name	Age/Sex	Specimen Collection Type	Registered at
Mr Haxan Labs	20(Y) / Male	Taken in lab	SELF
Phone	**S/O D/O W/O**	**Referred By**	**Collection Time**
0301-2227462	—	—	26-Nov-2026 12:51 PM
MR No	**CNIC**	**Consultant**	**Reporting Time**
PRN-60001	38103-0000000-0	—	26-Nov-2026 01:11 PM

Urine Complete Examination

RESULT
PRN-60001
26-Nov-2026 01:11 PM

Test Name	Normal Value	Unit	
Physical Examination			
Colour	Pale Yellow		Pale Yellow
Transparency	Clear		Clear
Sp. Gravity	1.005 - 1.030		↓ 1
Deposit	Nil		↑ Present
Chemical Examination			
Reaction (pH)	4.5 - 8.0		5
Albumin	Nil		Nil
Sugar	Nil		Nil
Ketones	Nil		Nil
Blood	Nil		↑ ++
Bile Salts	Nil		↑ Present
Bile Pigments	Nil		Nil
Urobilinogen	Normal		Normal
Nitrite	Negative		↑ Positive
Leucocyte Esterase	Negative		↑ Positive
Ascorbic Acid	Nil		Nil
Protein	Nil		Nil
Microscopic Examination			
Pus Cells	0 - 5	/HPF	1-2
RBC	Nil	/HPF	↑ 1-2

Haxan Labs
Lab Management System
TESTS REPORTS PATIENTS MANAGE
Smart Labs, Better Results
NOT VALID FOR LEGAL PURPOSE

Haxan Labs
by Haxan Enterprises
Innovative Solutions for a Smarter Tomorrow
Office No. 02, Basement
Raja Haq Nawaz Plaza, G-11
Markaz Islamabad
0348-1123923
0301-2227462
haxanschooly@gmail.com
haxanenterprises.com

Patient No: 1

Case No: PM-1126-000001

Patient Name	**Age/Sex**	**Specimen Collection Type**	**Registered at**
Mr Haxan Labs	20(Y) / Male	Taken in lab	SELF
Phone	**S/O D/O W/O**	**Referred By**	**Collection Time**
0301-2227462	—	—	26-Nov-2026 12:51 PM
MR No	**CNIC**	**Consultant**	**Reporting Time**
PRN-60001	38103-0000000-0	—	26-Nov-2026 01:11 PM

Urine Complete Examination

RESULT
PRN-60001
26-Nov-2026 01:11 PM

Test Name	Normal Value	Unit	
Epithelial Cells	Few	/HPF	Few
Casts	Nil	/LPF	Nil
Crystals	Nil	/HPF	Nil
Bacteria	Nil		Few
Yeast	Nil		Nil
Trichomonas	Nil		Nil
Spermatozoa	Nil		Nil
Mucus	Nil		Nil
Amorphous	Nil		Nil
Triple Phosphate	Nil		Nil
Uric Acid Crystals	Nil		Nil
Calcium Oxalate	Nil		Nil
Other	Nil		Nil

Haxan Labs
Lab Management System
TESTS REPORTS PATIENTS MANAGE
Smart Labs, Better Results
NOT VALID FOR LEGAL PURPOSE

Standard urinalysis

Haxan Labs
by Haxan Enterprises
Innovative Solutions for a Smarter Tomorrow
Office No. 02, Basement
Raja Haq Nawaz Plaza, G-11
Markaz Islamabad
0348-1123923
0301-2227462
haxanschooly@gmail.com
haxanenterprises.com

Patient No: 1

Case No: PM-1126-000001

Patient Name	Age/Sex	Specimen Collection Type	Registered at
Mr Haxan Labs	20(Y) / Male	Taken in lab	SELF
Phone	**S/O D/O W/O**	**Referred By**	**Collection Time**
0301-2227462	—	—	26-Nov-2026 12:51 PM
MR No	**CNIC**	**Consultant**	**Reporting Time**
PRN-60001	38103-0000000-0	—	26-Nov-2026 01:11 PM

Department of Special Chemistry

Test	Normal Range	Unit	RESULT (PRN-60001, 26-Nov-2026 01:11 PM)
Beta HCG	(See Below)	mIU/ml	↑ 10

Interpretation

Non pregnant	0.5 - 2.90
1st week of Gestation	5 - 50
1-2 week of Gestation	50 - 500
2-3 week of Gestation	100 - 5,000
3-4 week of Gestation	500 - 10,000
4-5 week of Gestation	10,000 - 50,000
5-6 week of Gestation	10,000 - 1,00,000
6-7 week of Gestation	15,000 - 2,00,000
8-12 week of Gestation	10,000 - 1,00,000

NOTE: In case of "Borderline" result, it is advised to repeat the test result after 2 weeks.

Note:

Value above 5.0 mIU/ml can be considered as a possible pregnancy or a hint for the Presence of hCG producing tumor.
Serial determination of hCG is helpful when abnormal pregnancy is Suspected.
In ectopic pregnancy & spontaneous abortion hCG concentration increase slowly or decreases.
Failure to detect a gestational sac 24 days or more after conception is presumptive evidence of ectopic pregnancy
The presence of twins approximately doubles the hCG concentration

Method:

Enhanced Chemiluminescence

Haxan Labs Lab Management System
TESTS REPORTS PATIENTS MANAGE
Smart Labs, Better Results
NOT VALID FOR LEGAL PURPOSE

Haxan Labs
by Haxan Enterprises
Innovative Solutions for a Smarter Tomorrow
Office No. 02, Basement
Raja Haq Nawaz Plaza, G-11
Markaz Islamabad
0348-1123923
0301-2227462
haxanschooly@gmail.com
haxanenterprises.com

Patient No: 1

Case No: PM-1126-000001

Patient Name	Age/Sex	Specimen Collection Type	Registered at
Mr Haxan Labs	20(Y) / Male	Taken in lab	SELF
Phone	**S/O D/O W/O**	**Referred By**	**Collection Time**
0301-2227462	—	—	26-Nov-2026 12:51 PM
MR No	**CNIC**	**Consultant**	**Reporting Time**
PRN-60001	38103-0000000-0	—	26-Nov-2026 01:11 PM

Serum Ferritin Level	20 - 300	ng/ml	21

Note:

Ferritin level < 10.0 ng/ml usually indicates Iron Deficiency Anemia

Increased Levels;

- Iron overload; Hemochromatosis, Thalassemia, Sideroblastic anemia
- Malignant conditions; Breast Carcinoma, Leukemia, Hodgkin's disease
- Inflammatory Diseases; UTI, SLE, Burns, Arthritis, Pulmonary Infections, Osteomyelitis
- Acute & Chronic Hepatocellular disease
- Regular heavy alcohol intake

NOTE:

- Lab results alone are only one aspect for determining patient care & should not be the sole criteria for therapy particularly if the result conflict with other determinants

Method:

Methodology: Enhanced Chemiluminescence -Vitros ECi- Ortho Clinical Diagnostic

Haxan Labs
Lab Management System
TESTS REPORTS PATIENTS MANAGE
Smart Labs, Better Results
NOT VALID FOR LEGAL PURPOSE

Haxan Labs
by Haxan Enterprises
Innovative Solutions for a Smarter Tomorrow
Office No. 02, Basement
Raja Haq Nawaz Plaza, G-11
Markaz Islamabad
0348-1123923
0301-2227462
haxanschooly@gmail.com
haxanenterprises.com

Patient No: 1

Case No: PM-1126-000001

Patient Name	Age/Sex	Specimen Collection Type	Registered at
Mr Haxan Labs	20(Y) / Male	Taken in lab	SELF
Phone	**S/O D/O W/O**	**Referred By**	**Collection Time**
0301-2227462	—	—	26-Nov-2026 12:51 PM
MR No	**CNIC**	**Consultant**	**Reporting Time**
PRN-60001	38103-0000000-0	—	26-Nov-2026 01:11 PM

Blood Cross Match With ELISA

RESULT
PRN-60001
26-Nov-2026 01:11 PM

Test Name	Normal Value	Unit	
Donor Details			
Donor Name	-		Ahmad Hassan
Donor Blood Group	-		A
Donor Rh Factor	-		Positive
Donor Screening			
Haemoglobin (Hb)	Male: 13.0-17.0 | Female: 12.0-15.0	g/dL	13
Anti-HCV by ELISA	Non-Reactive		Non-Reactive
HBsAg by ELISA	Non-Reactive		Non-Reactive
Anti-HIV 1 & 2 Antibodies	Non-Reactive		Non-Reactive
Malaria Parasite (MP)	Negative		Negative
Syphilis Antibodies	Non-Reactive		Non-Reactive
Recipient Details			
Recipient Name	-		Saba Ali
Patient Blood Group	-		A
Patient Rh Factor	-		Positive
Compatibility Testing			
Coombs Test (Direct)	Negative		Negative
Coombs Test (Indirect)	Negative		Negative
Compatibility	Compatible		Compatible

Note: Donor screening and compatibility results must be reviewed together before blood is issued.

Haxan Labs — Lab Management System — Better Labs, Better Results
NOT ISSUED FOR LEGAL PURPOSE